Sport Health **Volume 31 Issue 1**
References

An introduction to concussion in sport
An introduction of the main principles surrounding the management of concussion.
Dr Ryan Kohler
Page 15-21

1. McCrory P, Meeuwisse WH, Aubry M, Cantu B, Dvorak J, Echemendia RJ et al. Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012. *Br J Sports Med* 2013; 47(5):250-258.
2. Harmon KG, Drezner JA, Gammons M, Guskiewicz KM, Halstead M, Herring SA et al. American Medical Society for Sports Medicine position statement: concussion in sport. *Br J Sports Med* 2013; 47(1):15-26.
3. Patricios J, Collins R, Branfield A, Roberts C, Kohler R. The sports concussion note: should SCAT become SCOAT? *Br J Sports Med* 2012; 46(3):198-201.
4. Kelly JP, Rosenberg JH. The development of guidelines for the management of concussion in sports. *J Head Trauma Rehabil* 1998; 13(2):53-65.
5. Langlois JA, Rutland-Brown W, Wald MM. The epidemiology and impact of traumatic brain injury: a brief overview. *J Head Trauma Rehabil* 2006; 21(5):375-378.
6. Khurana VG, Kaye AH. An overview of concussion in sport. *Journal of Clinical Neuroscience* 2012; 19:1-11.
7. Guskiewicz KM. Assessment of postural stability following sport-related concussion. *Curr Sports Med Rep* 2003; 2(1):24-30.
8. McCrea M, Guskiewicz KM, Marshall SW, Barr W, Randolph C, Cantu RC et al. Acute effects and recovery time following concussion in collegiate football players: the NCAA Concussion Study. *JAMA* 2003; 290(19):2556-2563.
9. Schneiders AG, Sullivan SJ, Gray AR, Hammond-Tooke GD, McCrory PR. Normative values for three clinical measures of motor performance used in the neurological assessment of sports concussion. *J Sci Med Sport* 2010; 13(2):196-201.
10. Schneiders AG, Sullivan SJ, Gray AR, Hammond-Tooke GD, McCrory PR. Normative values for three clinical measures of motor performance used in the neurological assessment of sports concussion. *J Sci Med Sport* 2010; 13(2):196-201.
11. Iverson GL, Koehle MS. Normative data for the modified balance error scoring system in adults. *Brain Inj* 2013.

The concussion modifiers
An overview of the clinical factors that may influence timing of recovery or potential risk of complications following concussion in sport.
Dr Michael Makdissi, Professor Gavin Davis and Professor Paul McCrory
Pages 22-27

1. Makdissi M, Davis G, Jordan B, Patricios J, Purcell L, Putukian M. Revisiting the modifiers: how should the evaluation and management of acute concussions differ in specific groups? *Br J Sports Med* 2013;47(5):314-20.
2. Aubry M, Cantu R, Dvorak J, Graf-Baumann T, Johnston KM, Kelly J, et al. Summary and agreement statement of the 1st International Symposium on Concussion in Sport, Vienna 2001. *Clinical Journal of Sport Medicine* 2002;12(1):6-11.
3. McCrory P, Johnston K, Meeuwisse W, Aubry M, Cantu R, Dvorak J, et al. Summary and agreement statement of the 2nd International Conference on Concussion in Sport, Prague 2004. *British Journal of Sports Medicine* 2005;39(4):196-204.
4. McCrory P, Meeuwisse W, Johnston K, Dvorak J, Aubry M, Molloy M, et al. Consensus Statement on Concussion in Sport: the 3rd International Conference on Concussion in Sport held in Zurich, November 2008. *British Journal of Sports Medicine* 2009;43:I76-I84.
5. McCrory P, Meeuwisse WH, Aubry M, Cantu B, Dvorak J, Echemendia RJ, et al. Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012. *Br J Sports Med* 2013;47(5):250-8.
6. Guskiewicz KM, Marshall SW, Bailes J, McCrea M, Cantu RC, Randolph C, et al. Association between recurrent concussion and late-life cognitive impairment in retired professional football

players. *Neurosurgery* 2005;57(4):719-24.
7. Guskiewicz KM, Marshall SW, Bailes J, McCrea M, Harding HP, Matthews A, et al. Recurrent concussion and risk of depression in retired professional football players. *Medicine and Science in Sports and Exercise* 2007;39(6):903-09.
8. McKee AC, Cantu RC, Nowinski CJ, Hedley-Whyte ET, Gavett BE, Budson AE, et al. Chronic Traumatic Encephalopathy in Athletes: Progressive Tauopathy After Repetitive Head Injury. *Journal of Neuropathology and Experimental Neurology* 2009;68(7):709-35.
9. McKee AC, Gavett BE, Stern RA, Nowinski CJ, Cantu RC, Kowall NW, et al. TDP-43 Proteinopathy and Motor Neuron Disease in Chronic Traumatic Encephalopathy. *Journal of Neuropathology and Experimental Neurology* 2010;69(9):918-29.
10. Makdissi M. Is the simple versus complex classification of concussion a valid and useful differentiation? *British Journal of Sports Medicine* 2009;43:I23-I27.
11. McCrory PR, Ariens M, Berkovic SF. The nature and duration of acute concussive symptoms in Australian football. *Clinical Journal of Sport Medicine* 2000;10(4):235-38.
12. Makdissi M, Darby D, Maruff P, Ugoni A, Brukner P, McCrory PR. Natural History of Concussion in Sport Markers of Severity and Implications for Management. *American Journal of Sports Medicine* 2010;38(3):464-71.
13. Erlanger D, Kaushik T, Cantu R, Barth JT, Broshek DK, Freeman JR, et al. Symptom-based assessment of the severity of a concussion. *Journal of Neurosurgery* 2003;98(3):477-84.
14. Iverson G. Predicting slow recovery from sport-related concussion: The new simple-complex distinction. *Clinical Journal of Sport Medicine* 2007;17(1):31-37.
15. Collins MW, Iverson GL, Lovell MR, McKeag DB, Norwig J, Maroon J. On-field predictors of neuropsychological and symptom deficit following sports-related concussion. *Clinical Journal of Sport Medicine* 2003;13(4):222-29.
16. Asplund CA, McKeag DB, Olsen CH. Sport-related concussion - Factors associated with prolonged return to play. *Clinical Journal of Sport Medicine* 2004;14(6):339-43.
17. Pellman EJ, Viano DC, Casson IR, Arfken C, Powell J. Concussion in professional football: Injuries involving 7 or more days out - Part 5. *Neurosurgery* 2004;55(5):1100-16.
18. Benson BW, Meeuwisse WH, Rizos J, Kang J, Burke CJ. A prospective study of concussions among National Hockey League players during regular season games: the NHL-NHLPA Concussion Program. *Canadian Medical Association Journal* 2011;183(8):905-11.
19. Iverson GL, Gaetz M, Lovell MR, Collins MW. Relation between subjective fogginess and neuropsychological testing following concussion. *Journal of the International Neuropsychological Society* 2004;10(6):904-06.
20. Lau B, Lovell MR, Collins MW, Pardini J. Neurocognitive and Symptom Predictors of Recovery in High School Athletes. *Clinical Journal of Sport Medicine* 2009;19(3):216-21.
21. Lau BC, Kontos AP, Collins MW, Mucha A, Lovell MR. Which On-field Signs/Symptoms Predict Protracted Recovery From Sport-Related Concussion Among High School Football Players? *American Journal of Sports Medicine* 2011;39(11):2311-18.
22. Delaney TS, Lacroix VJ, Leclerc S, Johnston KM. Concussions among university football and soccer players. *Clinical Journal of Sport Medicine* 2002;12(6):331-38.
23. Teasdale G, Jennett B. Assessment of coma and impaired consciousness. A practical scale. *Lancet* 1974;2(7872):81-4.
24. Lovell MR, Iverson GL, Collins MW, McKeag D, Maroon JC. Does loss of consciousness predict neuropsychological decrements after concussion? *Clinical Journal of Sport Medicine* 1999;9(4):193 98.
25. McCrory PR, Bladin PF, Berkovic SF. Retrospective study of concussive convulsions in elite Australian rules and rugby league footballers: Phenomenology, aetiology, and outcome. *British Medical Journal* 1997;314(7075):171-74.
26. Cantu RC, Voy R. 2ND-IMPACT SYNDROME - A RISK IN ANY CONTACT SPORT. *Physician and Sportsmedicine* 1995;23(6):27-34.
27. McCrory P, Davis G, Makdissi M. Second Impact Syndrome or Cerebral Swelling after Sporting Head Injury. *Current Sports Medicine Reports* 2012;11(1):21-23.
28. Harris AW, Jones CA, Rowe BH, Voaklander DC. A population-based study of sport and recreation-related head injuries treated in a Canadian health region. *Journal of Science and Medicine in Sport* 2012;15(4):298-304.
29. Guskiewicz KM, Weaver NL, Padua DA, Garrett WE. Epidemiology of concussion in collegiate and high school football players. *American Journal of Sports Medicine* 2000;28(5):643-50.
30. Guskiewicz KM, McCrea M, Marshall SW, Cantu RC, Randolph C, Barr W, et al. Cumulative effects associated with recurrent concussion in collegiate football players - The NCAA Concussion

Study. *Jama-Journal of the American Medical Association* 2003;290(19):2549-55.
31. Gerberich SG, Priest JD, Boen JR, Straub CP, Maxwell RE. Concussion incidences and severity in secondary school varsity football players. *Am J Public Health* 1983;73(12):1370-5.
32. Zemper ED. Two-year prospective study of relative risk of a second cerebral concussion. *American Journal of Physical Medicine & Rehabilitation* 2003;82(9):653-59.
33. Echlin PS, Tator CH, Cusimano MD, Cantu RC, Taunton JE, Upshur REG, et al. Return to play after an initial or recurrent concussion in a prospective study of physician-observed junior ice hockey concussions: implications for return to play after a concussion. *Neurosurgical Focus* 2010;29(5):E5.
34. Macciocchi SN, Barth JT, Littlefield L, Cantu RC. Multiple concussions and neuropsychological functioning in collegiate football players. *Journal of Athletic Training* 2001;36(3):303-06.
35. McCrory P, Johnston KM, Mohtadi NG, Meeuwisse W. Evidence-based review of sport-related concussion: Basic science. *Clinical Journal of Sport Medicine* 2001;11(3):160-65.
36. McCrea M, Hammeke T, Olsen G, Leo P, Guskiewicz K. Unreported concussion in high school football players - Implications for prevention. *Clinical Journal of Sport Medicine* 2004;14(1):13-17.
37. Collie A, Maruff P, McStephen M, Darby DG. Psychometric issues associated with computerised neuropsychological assessment of concussed athletes. *Br J Sports Med* 2003;37(6):556-9.
38. Collins MW, Grindel SH, Lovell MR, Dede DE, Moser DJ, Phalin BR, et al. Relationship between concussion and neuropsychological performance in college football players. *Jama* 1999;282(10):964 70.
39. Jordan BD, Relkin NR, Ravdin LD, Jacobs AR, Bennett A, Gandy S. Apolipoprotein E epsilon4 associated with chronic traumatic brain injury in boxing. *Jama* 1997;278(2):136-40.
40. Chen JK, Johnston KM, Petrides M, Ptito A. Recovery from mild head injury in sports: Evidence from serial functional magnetic resonance imaging studies in male athletes. *Clinical Journal of Sport Medicine* 2008;18(3):241-47.
41. Vagnozzi R, Signoretti S, Cristofori L, Alessandrini F, Floris R, Isgro E, et al. Assessment of metabolic brain damage and recovery following mild traumatic brain injury: a multicentre, proton magnetic resonance spectroscopic study in concussed patients. *Brain* 2010;133:3232-42.
42. Henry LC, Tremblay S, Leclerc S, Khiat A, Boulanger Y, Ellemberg D, et al. Metabolic changes in concussed American football players during the acute and chronic post-injury phases. *Bmc Neurology* 2011;11:10.
43. Cubon VA, Putukian M, Boyer C, Dettwiler A. A Diffusion Tensor Imaging Study on the White Matter Skeleton in Individuals with Sports-Related Concussion. *Journal of Neurotrauma* 2011;28(2):189-201.
44. Munoz-Sanchez MA, Murillo-Cabezas F, Cayuela A, Flores-Cordero JM, Rincon-Ferrari MD, Amaya-Villar R, et al. The significance of skull fracture in mild head trauma differs between children and adults. *Child's nervous system : ChNS : official journal of the International Society for Pediatric Neurosurgery* 2005;21(2):128-32.
45. Ommaya AK, Goldsmith W, Thibault L. Biomechanics and neuropathology of adult and paediatric head injury. *British journal of neurosurgery* 2002;16(3):220-42.
46. Moser RS, Schatz P, Jordan BD. Prolonged effects of concussion in high school athletes. *Neurosurgery* 2005;57(2):300-06.
47. Sim A, Terryberry-Spohr L, Wilson KR. Prolonged recovery of memory functioning after mild traumatic brain injury in adolescent athletes. *Journal of Neurosurgery* 2008;108(3):511-16.
48. Field M, Collins MW, Lovell MR, Maroon J. Does age play a role in recovery from sports-related concussion? A comparison of high school and collegiate athletes. *Journal of Pediatrics* 2003;142(5):546-53.
49. Grady MF. Concussion in the adolescent athlete. *Curr Probl Pediatr Adolesc Health Care* 2010;40(7):154-69.
50. Purcell L, Carson J. Sport-related concussion in pediatric athletes. *Clinical Pediatrics* 2008;47(2):106-13.
51. Halstead ME, Walter KD, Council Sports Med F. Clinical Report-Sport-Related Concussion in Children and Adolescents. *Pediatrics* 2010;126(3):597-611.
52. Purcell L. What are the most appropriate return-to-play guidelines for concussed child athletes? *British Journal of Sports Medicine* 2009;43:I51-I55.
53. McClincy MP, Lovell MR, Pardini J, Collins MW, Spore MK. Recovery from sports concussion in high school and collegiate athletes. *Brain Injury* 2005;20(1):33-39.

Management issues in paediatric sports concussion

The management, symptoms, signs, and guidelines of concussion in children.

Gavin Davis

Pages 28-32

1. Bakhos LL, Lockhart GR, Myers R, et al. Emergency department visits for concussion in young child athletes. *Pediatrics* 2010;126(3):e550-6.
2. Halstead ME, Walter KD. American Academy of Pediatrics. Clinical report--sport-related concussion in children and adolescents. *Pediatrics* 2010;126(3):597-615.
3. Thompson RA, Nelson CA. Developmental science and the media. Early brain development. *Am Psychol* 2001;56(1):5-15.
4. Field M, Collins MW, Lovell MR, et al. Does age play a role in recovery from sports-related concussion? A comparison of high school and collegiate athletes. *The Journal of pediatrics* 2003;142(5):546-53.
5. Moser RS, Schatz P, Jordan BD. Prolonged effects of concussion in high school athletes. *Neurosurgery* 2005;57(2):300-6; discussion 00-6.
6. Sim A, Terryberry-Spohr L, Wilson KR. Prolonged recovery of memory functioning after mild traumatic brain injury in adolescent athletes. *Journal of neurosurgery* 2008;108(3):511-6.
7. McCrory P, Davis G, Makdissi M. Second impact syndrome or cerebral swelling after sporting head injury. *Current sports medicine reports* 2012;11(1):21-3.
8. McCrory P, Meeuwisse WH, Aubry M, et al. Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012. *British journal of sports medicine* 2013;47(5):250-8.
9. Ayr LK, Yeates KO, Taylor HG, et al. Dimensions of postconcussive symptoms in children with mild traumatic brain injuries. *Journal of the International Neuropsychological Society : JINS* 2009;15(1):19 30.

Physical sideline tests for the assessment of sports concussion
A clinicians guide to the SCAT3.
Tony Schneiders
Pages 45-50

1. McCrory, P., Meeuwisse, W. H., Echemendia, R. J., Iverson, G. L., Dvořák, J., & Kutcher, J. S. (2013). What is the lowest threshold to make a diagnosis of concussion? British Journal of Sports Medicine, 47(5), 268-271.
2. Guskiewicz, K. M., Register-Mihalik, J., McCrory, P., McCrea, M., Johnston, K., Makdissi, M., Meeuwisse, W. (2013). Evidence-based approach to revising the SCAT2: introducing the SCAT3. British Journal of Sports Medicine,47(5), 289-293.
3. McCrea, M., Iverson, G. L., Echemendia, R. J., Makdissi, M., & Raftery, M. (2013). Day of injury assessment of sport-related concussion. British Journal of Sports Medicine, 47(5), 272-284.
4. McCrory, P., Johnston, K., Meeuwisse, W., Aubry, M., Cantu, R., Dvorak, J., ... & Schamasch, P. (2005). Summary and agreement statement of the 2nd International Conference on Concussion in Sport, Prague 2004. British Journal of Sports Medicine, 39(4), 196-204.
5. SCAT 2 Br. J. Sports Med. 2009;43;i85-i88
6. Hunt, T. N., Ferrara, M. S., Bornstein, R. A., & Baumgartner, T. A. (2009). The reliability of the modified balance error scoring system. Clinical Journal of Sport Medicine, 19(6), 471-475.
7. Sullivan, S. J., Schneiders, A. G., Handcock, P., Gray, A., & McCrory, P. R. (2011). Changes in the timed finger-to-nose task performance following exercise of different intensities. British journal of sports medicine, 45(1), 46-48.
8. Schneiders, A. G., Sullivan, S. J., Gray, A. R., Hammond-Tooke, G. D., & McCrory, P. R. (2010). Normative values for three clinical measures of motor performance used in the neurological assessment of sports concussion. Journal of Science and Medicine in Sport, 13(2), 196-201.
9. Sullivan, S.J., Hammond-Tooke, Schneiders, A.G., Gray, A., & McCrory, P. (2012) Diagnostic accuracy of selected neurological tests. Journal of Clinical Neuroscience; 19 (3), Pages 423-427
10.Bell DR, Guskiewicz KM, Clark MA, et al. Systematic review of the balance error scoring system. Sports Health 2011;3:287–95.
11.Valovich McLeod, T. C., Perrin, D. H., Guskiewicz, K. M., Shultz, S. J., Diamond, R., & Gansneder, B. M. (2004). Serial administration of clinical concussion assessments and learning effects in healthy young athletes.Clinical Journal of Sport Medicine, 14(5), 287-95.
12.Finnoff, J. T., Peterson, V. J., Hollman, J. H., & Smith, J. (2009). Intrarater and interrater reliability of the Balance Error Scoring System (BESS). PM&R, 1(1), 50-54.
13.Onate JA, Beck BC, Van Lunen BL, et al. On-field testing environment and balance error scoring

system performance during preseason screening of healthy collegiate baseball players. J Athlet Train 2007;42(4):446–51.
14.Schneiders, A. G., Sullivan, S. J., Kvarnström, J., Olsson, M., Ydén, T., & Marshall, S. (2010). The effect of footwear and sports-surface on dynamic neurological screening for sport-related concussion. Journal of Science and medicine in Sport, 13(4), 382-386.
15.McCrory et al., (2013) Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, 2012. British Journal of Sports Medicine;47:250–258.
16.Wilkins, J. C., McLeod, T. C. V., Perrin, D. H., & Gansneder, B. M. (2004). Performance on the balance error scoring system decreases after fatigue.Journal of athletic training, 39(2), 156.
17.Schneiders, A. G., Sullivan, S. J., Handcock, P., Gray, A., & McCrory, P. R. (2012). Sports concussion assessment: the effect of exercise on dynamic and static balance. Scandinavian Journal of Medicine & Science in Sports, 22(1), 85-90.
18.Schneiders, A. G., Sullivan, S. J., McCrory, P. R., Gray, A., Maruthayanar, S., Singh, P., & Van der Salm, R. (2008). The effect of exercise on motor performance tasks used in the neurological assessment of sports-related concussion. British Journal of Sports Medicine, 42(12), 1011-1013.
19.Sullivan, S. J., Schneiders, A. G., Handcock, P., Gray, A., & McCrory, P. R. (2011). Changes in the timed finger-to-nose task performance following exercise of different intensities. British Journal of Sports Medicine, 45(1), 46-48.

Early-onset knee osteoarthritis after anterior cruciate ligament reconstruction: don't forget the PFJ

The patellofemoral joint and the long-term outcomes following anterior cruciate ligament reconstruction.

Adam Culvenor and Kay Crossley

Pages 52-56

1. Ardern C, Webster K, Taylor N, Feller J. Return to the preinjury level of competitive sport after anterior cruciate ligament reconstruction surgery. *American Journal of Sports Medicine* 2011;39(3):538-43.
2. Ardern CL, Webster KE, Taylor NF, Feller JA. Return to sport following anterior cruciate ligament reconstruction surgery: A systematic review and meta-analysis of the state of play. *British Journal of Sports Medicine* 2011;45(7):596-606.
3. Lohmander LS, Englund PM, Dahl LL, Roos EM. The Long-term Consequence of Anterior Cruciate Ligament and Meniscus Injuries. *The American Journal of Sports Medicine* 2007;35(10):1756-69.
4. Culvenor AG, Cook JL, Collins NJ, Crossley KM. Is patellofemoral joint osteoarthritis an under recognised outcome of anterior cruciate ligament reconstruction? A narrative literature review. *British Journal of Sports Medicine* 2013;47:66-70.
5. Li RT, Lorenz S, Xu Y, Harner CD, Fu FH, Irrgang JJ. Predictors of Radiographic Knee Osteoarthritis After Anterior Cruciate Ligament Reconstruction. *The American Journal of Sports Medicine* 2011;39(12):2595-603.
6. Keays SL, Newcombe PA, Bullock-Saxton JE, Bullock MI, Keays AC. Factors Involved in the Development of Osteoarthritis After Anterior Cruciate Ligament Surgery. *American Journal of Sports Medicine* 2010;38(3):455-63.

The emerging prominence of nutrition in injury management

A look at if the role of nutrition is being overlooked in the acute phase of injury.

Johan Leech

Pages 57-61

1. de Boer MD, Maganaris CN, Seynnes OR, Rennie MJ, Narici MV. Time course of muscular, neural and tendinous adaptations to 23 day unilateral lower-limb suspension in young men. *J Physiol 2007*; 583: 1079–1091.
2. Glover EI, Phillips SM, Oates BR, Tang JE, Tarnopolsky MA, Selby A, Smith K, andRennie MJ. Immobilization induces anabolic resistance in human myofibrillar protein synthesis with low and high dose amino acid infusion. *Journal of Physiology-London* 2008; 586, 6049-6061.
3. Phillips SM, Glover EI, Rennie MJ. Alterations of protein turnover underlying disuse atrophy in human skeletal muscle. *J ApplPhysiol* 2009; 107: 645–654.
4. Moore DR, Robinson MJ, Fry JL, Tang JE, Glover EI, Wilkinson SB, Prior T, Tarnopolsky MA, and

Phillips SM. Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *Am J ClinNutr*January 2009 vol. 89 no.161-168
5. You JS, Park MN, Song W, Lee YS. Dietary fish oil alleviates soleus atrophy during immobilization in association with Akt signaling to p70s6k and E3 ubiquitin ligases in rats.*ApplPhysiolNutrMetab* 2010; 3 5: 3 10–318.
6. Smith GI, Atherton P, Reeds DN, Mohammed BS, Rankin D, Rennie MJ, Mittendorfer B. Dietary omega-3 fatty acid supplementation increases the rate of muscle protein synthesis in older adults: a randomized controlled trial. *Am J ClinNutr*. 2011;93:402–412
7. Smith GI, Atherton P, Reeds DN, Mohammed BS, Rankin D, Rennie MJ, and Mittendorfer B.Omega-3 polyunsaturated fatty acids augment the muscle protein anabolic response to hyperaminoacidemia-hyperinsulinemia in healthy young and middle aged men and women. *ClinSci (Lond)*. 2011 September; 121(6): 267–278.
8. Baptista IL, Leal ML, Artioli GG, Aoki MS, Fiamoncini J, Turri AO, Curi R, Miyabara EH, Moriscot AS.Leucine attenuates skeletal muscle wasting via inhibition of ubiquitin ligases. *Muscle Nerve* 2010; 41: 800–808.
9. Katsanos CS, Kobayashi H, Sheffield-Moore M, Aarsland A, Wolfe R. A high proportion of leucine is required for optimal stimulation of the rate of muscle protein synthesis by essential amino acids in the elderly. *Am J PhysiolEndocrinolMetab* 2006; 291:E381– E387.
10.Rieu I.Leucine supplementation improves muscle protein synthesis in elderly men independently of hyperaminoacidaemia. *J Physiol* 2006; 5 75: 305–315.