Sport Health Volume 35 Issue 2, 2017
References

Decreasing the risk of falls for the elderly
Dr Andrew Jowett
Page 2

1. Daly, R.M., Duckham, R.L., Tait, J.L., Rantalainen, T., Nowson, C.A., Taaffe, D.R., Sanders, K., Hill, K.D., Kidgell, D.J. and Busija, L., 2015. Effectiveness of dual-task functional power training for preventing falls in older people: study protocol for a cluster randomised controlled trial. *Trials*, *16*(1), p.120.
2. Australian Broadcasting Corporation, *App that tracks walking aims to prevent falls in older people*, 2017; viewed 5 September 2017: http://www.abc.net.au/news/2017-02-23/university-of-canberra-gait-study-fall-prevention/8297266
3. Australian Commission on Safety and Quality in Health Care, *Falls Prevention*, 2015; viewed 5 September 2017; https://www.safetyandquality.gov.au/our-work/falls-prevention/
4. The Conversation, *New tech to predict risk elderly will fall,* 2011: viewed 5 September 2017; https://theconversation.com/new-tech-to-predict-risk-elderly-will-fall-2137

Age should be no barrier for physical activity
Anthony Merrilees
Page 3

1. Neikrug, S.M., 2003. Worrying about a frightening old age. *Aging & Mental Health*, *7*(5), pp.326-333.
2. Special Broadcasting Service, *104 year old Fauja Singh runs the Mumbai Marathon*, 2016; viewed 31 August 2017: http://www.sbs.com.au/yourlanguage/hindi/en/article/2016/01/17/104-year-old-fauja-singh-runs-mumbai-marathon
3. Phoenix, C. and Griffin, M., 2013. Narratives at work: what can stories of older athletes do? *Ageing & Society*, *33*(2), pp.243-266.
4. Better Health Channel Victoria, *Physical activity for seniors*, PDF, Better Health Channel Victoria. Retrieved from: https://www.betterhealth.vic.gov.au/health/healthyliving/physical-activity-for-seniors?viewAsPdf=true
5. Taylor, D., 2013. Physical activity is medicine for older adults. *Postgraduate medical journal*, pp.postgradmedj-2012.

Raising the bar on exercise for osteoporosis
Belinda Beck, PhD.
Page 15-18

1. Watts, J., J. Abimanyi-Ochom, and K.M. Sanders, *Osteoporosis costing all Australians A new burden of disease analysis – 2012 to 2022*, 2013: Sydney.
2. Rubin, C.T. and L.E. Lanyon, *Regulation of bone mass by mechanical strain magnitude.* Calcified Tissue International, 1985. **37**(4): p. 411-417.
3. Hebert, E.T., M.O. Caughy, and K. Shuval, *Primary care providers' perceptions of physical activity counselling in a clinical setting: a systematic review.* Br J Sports Med, 2012. **46**(9): p. 625-31.

4. Weiler, R., et al., *Physical activity education in the undergraduate curricula of all UK medical schools: are tomorrow's doctors equipped to follow clinical guidelines?* Br J Sports Med, 2012. **46**(14): p. 1024-6.
5. Beck, B.R., et al., *Exercise and Sports Science Australia (ESSA) position statement on exercise prescription for the prevention and management of osteoporosis.* J Sci Med Sport, 2017. **20**(5): p. 438-445.
6. Giangregorio, L.M., et al., *Too Fit To Fracture: exercise recommendations for individuals with osteoporosis or osteoporotic vertebral fracture.* Osteoporos Int, 2014. **25**(3): p. 821-35.
7. Watson, S.L., et al., *Heavy resistance training is safe and improves bone, function, and stature in postmenopausal women with low to very low bone mass: novel early findings from the LIFTMOR trial.* Osteoporos Int, 2015. **26**(12): p. 2889-94.
8. Beck, B.R. and L.J. Weis, *Clinical translation of brief, high intensity exercise for bone, muscle and functional outcomes in postmenopausal women with low to very low bone mass: First 12-month findings from The Bone Clinic. In: Joint meeting of the Australian & New Zealand Bone and Mineral Society & the International Federation of Musculoskeletal Research Societies in conjunction with the Japanese Society for Bone & Mineral Research*. Brisbane, QLD., June 2017.

Gut Feeling – Recent research sheds more light on the causes and solutions for gastrointestinal issues during exercise

Alan McCubbin

Page 36-39

1. Costa RJS, Snipe RMJ, Kitic CM, Gibson PR. Systematic review: exercise-induced gastrointestinal syndrome—implications for health and intestinal disease. *Aliment Pharmacol Ther*. 2017;46(3):246-265. [Pubmed]
2. Costa, R.J.S., Miall, A., Khoo, A., Rauch, C., Snipe, R., Camões-Costa, V., Gibson, P., (2017). Gut-training: The impact of two weeks repetitive gut-challenge during exercise on gastrointestinal status, glucose availability, fuel kinetics, and running performance. *Appl.Physiol.Nutri.Metab*., 42(5):547-557. [Pubmed]
3. Miall, A., Khoo, A., Rauch, C., Snipe, R., Camões-Costa, V., Gibson, P., Costa, R.J.S., (2017). Two weeks of repetitive gut-challenge reduces exercise associated gastrointestinal symptoms and malabsorption. *Scand J Med Sci Sports* (e-pub, 16 May). [Pubmed]
4. Snipe, R., Khoo, A., Kitic, C., Gibson, P., Costa, R.J.S, (2017). Carbohydrate and protein intake during exertional-heat stress ameliorates intestinal injury and small intestine permeability. *Appl Physiol Nutri Metab*., https://www.ncbi.nlm.nih.gov/pubmed/28777927
5. Gill, S.K., Allerton, D.M., Ansley-Robson, P., Hemming, K., Cox, M., & Costa, R.J.S., (2016). Does Acute High Dose Probiotic Supplementation Containing *Lactobacillus casei* Attenuate Exertional-Heat Stress Induced Endotoxaemia and Cytokinaemia? *Int J Sports Nutr Exerc Metab.,* 26, 268 -275. [Pubmed]

Knee osteoarthritis: put the knife down and embrace exercise therapy

Dr Christian Barton

Page 40-43

1. Global Burden of Disease Study 2013 Collaborators, *Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013.* Lancet, 2015. **386**(9995): p. 743-800.
2. Ackerman, I., et al., *Counting the cost. Part 1. Healthcare costs: The current and future burden of arthritis*. 2016.
3. Vos, T., et al., *Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010.* Lancet, 2012. **380**(9859): p. 2163-2196.
4. March, L.M. and C.J. Bachmeier, *Economics of osteoarthritis: a global perspective.* Baillieres Clin Rheumatol, 1997. **11**(4): p. 817-34.
5. Schofield, D.J., et al., *The personal and national costs of lost labour force participation due to arthritis: an economic study.* BMC Public Health, 2013. **13**: p. 188.
6. Thorlund, J.B., et al., *Arthroscopic surgery for degenerative knee: systematic review and meta-analysis of benefits and harms.* BMJ, 2015. **350**: p. h2747.
7. Deshpande, B.R., et al., *Number of Persons With Symptomatic Knee Osteoarthritis in the US: Impact of Race and Ethnicity, Age, Sex, and Obesity.* Arthritis Care Res (Hoboken), 2016. **68**(12): p. 1743-1750.
8. Ferket, B.S., et al., *Impact of total knee replacement practice: cost effectiveness analysis of data from the Osteoarthritis Initiative.* BMJ, 2017. **356**: p. j1131.
9. Wallis, J.A. and N.F. Taylor, *Pre-operative interventions (non-surgical and non-pharmacological) for patients with hip or knee osteoarthritis awaiting joint replacement surgery--a systematic review and meta-analysis.* Osteoarthritis Cartilage, 2011. **19**(12): p. 1381-95.
10. Haskins, R., J.M. Henderson, and N. Bogduk, *Health professional consultation and use of conservative management strategies in patients with knee or hip osteoarthritis awaiting orthopaedic consultation.* Aust J Prim Health, 2014. **20**(3): p. 305-10.
11. Skou, S.T., et al., *A Randomized, Controlled Trial of Total Knee Replacement.* N Engl J Med, 2015. **373**(17): p. 1597-606.
12. Schofield, D., R. Shrestha, and M. Cunich, *Counting the cost. Part 2 Economic costs: The current and future burden of arthritis*. 2016.
13. Australian-Government. *Medicare Item Reports*. 2017 [cited 2017 May 14]; Available from: http://medicarestatistics.humanservices.gov.au/statistics/mbs_item.jsp.
14. McAlindon, T.E., et al., *OARSI guidelines for the non-surgical management of knee osteoarthritis.* Osteoarthritis Cartilage, 2014. **22**(3): p. 363-88.
15. Bruyère, O., et al., *An algorithm recommendation for the management of knee osteoarthritis in Europe and internationally: a report from a task force of the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO).* Semin Arthritis Rheum, 2014. **44**(3): p. 253-63.
16. Hochberg, M.C., et al., *American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee.* Arthritis Care Res (Hoboken), 2012. **64**(4): p. 465-74.
17. Nelson, A.E., et al., *A systematic review of recommendations and guidelines for the management of osteoarthritis: The chronic osteoarthritis management initiative of the U.S. bone and joint initiative.* Semin Arthritis Rheum, 2014. **43**(6): p. 701-12.

18. Bohensky, M.A., et al., *Adverse outcomes associated with elective knee arthroscopy: a population-based cohort study.* Arthroscopy, 2013. **29**(4): p. 716-25.
19. Kise N, et al., *Exercise therapy versus arthroscopic partial meinscecetomy for degenerative meniscal tear in middle aged patients: randomised controlled trial with two years follow-up.* British Medical Journal, 2016. **354**: p. i3740.
20. Fransen, M., et al., *Exercise for osteoarthritis of the knee.* Cochrane Database Syst Rev, 2015. **1**: p. CD004376.
21. Messier, S.P., et al., *Effects of intensive diet and exercise on knee joint loads, inflammation, and clinical outcomes among overweight and obese adults with knee osteoarthritis: the IDEA randomized clinical trial.* Jama, 2013. **310**(12): p. 1263-73.
22. Zhang, W., et al., *OARSI recommendations for the management of hip and knee osteoarthritis: part III: Changes in evidence following systematic cumulative update of research published through January 2009.* Osteoarthritis Cartilage, 2010. **18**(4): p. 476-99.
23. Bartels, E.M., et al., *Aquatic exercise for the treatment of knee and hip osteoarthritis.* The Cochrane database of systematic reviews, 2016. **3**: p. CD005523.
24. Juhl, C., et al., *Impact of exercise type and dose on pain and disability in knee osteoarthritis: A systematic review and meta-regression analysis of randomized controlled trials.* Arthritis Rheumatol., 2014. **66**(3): p. 622-636.
25. Garber, C.E., et al., *American College of Sports Medicine position stand. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: guidance for prescribing exercise.* Med Sci Sports Exerc, 2011. **43**(7): p. 1334-59.
26. Fernandes, L., et al., *EULAR recommendations for the non-pharmacological core management of hip and knee osteoarthritis.* Annals of the Rheumatic Diseases, 2013. **72**(7): p. 1125-1135.
27. Runciman, W.B., et al., *CareTrack: assessing the appropriateness of health care delivery in Australia.* Med J Aust, 2012. **197**(2): p. 100-5.
28. Hinman, R.S., et al., *Use of nondrug, nonoperative interventions by community-dwelling people with hip and knee osteoarthritis.* Arthritis Care Res (Hoboken), 2015. **67**(2): p. 305-9.
29. Brand, C.A., et al., *Management of osteoarthritis in general practice in Australia.* Arthritis Care Res (Hoboken), 2014. **66**(4): p. 551-8.
30. Uthman, O.A., et al., *Exercise for lower limb osteoarthritis: systematic review incorporating trial sequential analysis and network meta-analysis.* BMJ (Clinical research ed.), 2013. **347**: p. f5555.